



Product certificate K12207/01

Issued 2017-04-15

Replaces -

Page 1 of 2

PVC-P membranes without reinforcement

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Sika Deutschland GmbH

as specified in this product certificate and marked with the Kiwa[®]-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K519 "Plasticized polyvinylchloride (PVC-P) membranes, with or without reinforcement" dated 15-06-2006 inclusive amendment sheet dated 31-01-2015.

Luc Leroy
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28/17/0315

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Sika Deutschland GmbH
Mülheimer Straße 26
53840 TROISDORF
Germany
Tel. 02241 / 14500
info@sika-trocal.com
www.sika.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

PVC-P membranes without reinforcement

PRODUCTSPECIFICATION

General

Reinforced plasticized polyvinylchloride (PVC-P) membranes, in accordance with evaluation guideline BRL-K519 "Plasticized polyvinylchloride (PVC-P) membranes, with or without reinforcement".

Further specification

The types as indicated in under mentioned table belong to this certificate.

The membrane can be delivered with a nominal width of maximum 2,05 m.

Technical specification

Product name – Type	Color	Type	Effective membrane thickness in mm (crossed)				
			0,5	0,8	1,0	1,3	1,5
Sikaplan WP 5110	black	HA	x	x	x	x	

Type:

- Membrane type HA: suitable for storage of water (drinking water).

Refer in all cases to paragraph 1.2 "area of application" of BRL-K519 for the possible applications per foil type and thickness.

Fitness for contact with drinking water

This product is approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation"; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

MARKING

The products must be marked as follows:

- word mark Kiwa;
- trade name or registered trademark;
- production code;
- PVC-P
- type of membrane;
- batch number.

Marking method: with indelible ink.

Position of the mark: on the membrane at least once every 2 m, and on the packing per roll.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Sika Deutschland GmbH
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.